



How-To Guide

Configure UK Regional Settings

Publication Date March 25, 2024

© Copyright Netsurion. All Rights Reserved.



Abstract

This guide provides instructions to configure the UK Time and Regional Settings in Netsurion Open XDR.

Note:

The screen/ figure references are only for illustration purpose and may not match the installed product UI.

Scope

The configuration details in this guide are consistent with Netsurion Open XDR 9.x.

Audience

This guide is for the users of the Netsurion Open XDR Web console.



Table of Contents

1	Ove	erview	4	
2	Cha	Change Date and Time Settings		
3	Con	Configure Language Settings		
	3.1	Language	5	
	3.2	Region	6	
	3.3	Change Language Settings in the SQL Server	. 10	
	3.4	Validate the Settings	. 13	



1 Overview

This document provides a detailed description of configuring UK Time, Language and Region settings in the system and SQL server.

2 Change Date and Time Settings

 Click the Start button, select Control Panel, and then select Clock, Language, and Region > Date and Time.



2. Select Set the Time and Date. The Date and Time window will be displayed as shown below.

💕 Date and Time	\times
Date and Time Additional Clocks Internet Time	
Date: 10 March 2024 Time: 21:24:36	9
Time zone	- 1
(UTC+05:30) Chennai, Kolkata, Mumbai, New Delhi	
Change time zone	
Daylight Saving Time is not observed by this time zone.	
OK Cancel Ap	ply

3. Select the **Change Time Zone** button. The Time Zone Window will be displayed as shown below.



Note

If the user is in a **non-US** zone, for example, (**Brussels, Copenhagen, Madrid, Paris**) or (**Canberra, Melbourne Sydney**), then follow <u>Configure regional & Language settings</u> to change it to UK settings.

4. Select the UK Time Zone from the dropdown list and then click **OK**.

📸 Time Zone Settings		\times
Set the time zone:		
Time zone:		
(UTC+00:00) Dublin, Edi	nburgh, Lisbon, London	~
Automatically adjust	clock for Daylight Saving Time	e
Current date and time:	10 March 2024, 21:30	
New date and time:	10 March 2024, 16:00	
	ОК	Cancel

3 Configure Language Settings

3.1 Language

1. To change the language, under Clock, Language, and Region, select Language.





2. In the language window, keep the settings as shown below:



3.2 Region

1. To change the region, under Clock, Language, and Region, select Region.

Clock, Language, and Region					×
← → × ↑ 👌 > Control Pa	→ * ↑ Ø × Control Panel × Clock, Language, and Region v Ø				Q
Control Panel Home System and Security Network and Internet	Date and Time Set the time and date Change the time zone Add clocks for different time zones Language Add a language Change input methods				
Programs User Accounts	Region Change location Change date, time, or number formats				
Appearance and Personalization • Clock, Language, and Region					
Ease of Access					

2. In the Region window, select Format as English (United Kingdom) from the dropdown list.

nglish (United King	gdom)	```
anguage preferenc	es	
Date and time forr	nats	
Short date:	dd/MM/yyyy	~
Long date:	dd MMMM yyyy	~
Short time:	HH:mm	~
Long time:	HH:mm:ss	~
First day of week:	Monday	~
Freedor		
Examples Short date:	10/03/2024	
Long date:	10 March 2024	
Short time:	21:40	
Long time:	21:40:35	
Long time:	21:40:35	tinga



3. Select the Location tab. In the Home location dropdown, select the United Kingdom.

🔗 Region		×
Formats	Administrative	
Some software, ir for a particular lo and weather.	ncluding Windows, may provide you with additional content cation. Some services provide local information such as news	
Home location:		
United Kingdom	×	
	OK Cancel App	ły

4. Select the Administrative tab and then select the Change System Locale button.

🔗 Region			>
Formats Administrative			
-Welcome screen and new user View and copy your internatic system accounts and new user	accounts onal settings to r accounts.	the welcome scr Copy setting	reen, ngs
Language for non-Unicode pro This setting (system locale) co displaying text in programs th Current language for non-Uni English (United States)	grams ontrols the lang nat do not supp code program	juage used when port Unicode. s:	
		Change system lo	ocale

5. In the appearing Regional Settings window, select the **Current System Locale** as English (United Kingdom).



	\times
Select which language (system locale) to use when displaying text in progra that do not support Unicode. This setting affects all user accounts on the computer.	ms
Current system locale:	
English (United Kingdom)	\sim
L	
OK Cancel	

6. Again, under the administrative tab, select **Copy Settings**.

Formats	Administrative				
Malas			counts		
vveico	ome screen and	a new user ac	counts		
View syste	and copy you m accounts a	ir internation nd new user a	al settings to accounts.	the welcome scree	en,
				🔶 Copy setting	JS
Langu	lage for non-U	nicode prog	rams		
T1 -				and the second states of	
disp	setting (syster laying text in p	n locale) cont programs that	trols the lang t do not supp	oort Unicode.	
disp	setting (syster laying text in p ent language f	n locale) con programs that for non-Unicc	trols the lang t do not supp ide programs	oort Unicode.	
Curr E	setting (syster laying text in p ent language f inglish (United	n locale) com programs that for non-Unicc States)	trols the lang t do not supp de programs	oort Unicode.	
Curr E	setting (syster laying text in p ent language f inglish (United	n locale) con programs that for non-Unicc States)	trols the lang t do not supp ode programs	Change system loca	ale
Curr E	setting (syster laying text in p ent language f inglish (United	n locale) con programs that for non-Unicc States)	trols the lang t do not supp de programs	uage used when bort Unicode. s: Change system loca	ale
Curr E	setting (syster laying text in p ent language f inglish (United	n locale) con programs that for non-Unicco States)	trols the lang t do not supp de programs	uage used when port Unicode. 5: Change system loca	ale
This disp Curr E	setting (syster laying text in p ent language f inglish (United	n locale) con rograms tha or non-Unicc States)	trols the lang t do not supp ide programs	uage used when port Unicode. 5: Change system loca	ale
Curr E	setting (syster laying text in p ent language f inglish (United	n locale) con programs that or non-Unicc States)	trols the lang t do not supp de programs	uage used when port Unicode. 5: Change system loca	ale
Lhis disp Curr E	setting (syster laying text in p ent language 1 inglish (United	n locale) con orograms tha or non-Unicc States)	trols the lang t do not supp de program	uage used when port Unicode. 5:	ale
Lhis disp Curr E	setting (syster laying text in p ent language 1 inglish (United	n locale) con orograms tha or non-Unicc States)	trols the lang t do not supp ide programs	uage used when port Unicode. :: :hange system loca	ale

7. The Welcome screen and new user account settings window will be displayed as shown below.



ć	Welcome screen and	new user accounts settings	×
	The settings for the curr user accounts are displa	ent user, welcome screen (system accounts) and new yed below.	
	Current user		-
	Display language:	English (United States)	
	Input language:	English (United Kingdom) - United Kingdom	
	Format:	English (United Kingdom)	
	Location:	United Kingdom	
	Welcome screen		- 1
	Display language:	English (United States)	
	Input language:	English (United Kingdom) - United Kingdom	
	Format:	English (United Kingdom)	
	Location:	United Kingdom	
	New user accounts		-
	Display language:	English (United States)	
	Input language:	English (United Kingdom) - United Kingdom	
	Format:	English (United Kingdom)	
	Location:	United Kingdom	
	Copy your current settin	as to:	
	Welcome screen	and system accounts	
		LS	
		OK Cancel	

8. Select the Welcome screen and system accounts and New user accounts checkboxes, and then click OK.

6	🖗 Welcome screen and	new user accounts settings	×
	The settings for the curr user accounts are displa	ent user, welcome screen (system accounts) and new yed below.	
	Current user		-
	Display language:	English (United States)	
	Input language:	English (United Kingdom) - United Kingdom	
	Format:	English (United Kingdom)	
	Location:	United Kingdom	
	Welcome screen		-
	Display language:	English (United States)	
	Input language:	English (United Kingdom) - United Kingdom	
	Format:	English (United Kingdom)	
	Location:	United Kingdom	
	New user accounts -		-
	Display language:	English (United States)	
	Input language:	English (United Kingdom) - United Kingdom	
	Format:	English (United Kingdom)	
	Location:	United Kingdom	
			_
ſ	Copy your current settin	igs to:	
I	Welcome screen a	and system accounts	
I	New user account	te	
I			
ł			
		OK Cancel	



3.3 Change Language Settings in the SQL Server

To update the Language Settings in the SQL Server, perform the following steps:

- 1. To log into SQL Server, select the **Start** button, select **All Programs**, and then select **Microsoft SQL Server**.
- 2. Select **Microsoft SQL Server Management Studio.** The Connect to Server window will be displayed as shown below:

💺 Microsoft SQL Server Management Studio
File Edit <mark>View De</mark> bug Tools Window Community Help
1 🛄 New Query 📑 📴 🖼 🎒 🜉 🖕
Object Explorer - 4 ×
Connect - 📑 🛃 🔳 🍸 🦉
😑 🐻 . ISQLEXPRESS (SQL Server
E Databases
E 🧰 Security
E i Server Objects
E Carlos Replication
🗄 🧰 Management
Ready

3. In the **\SQLEXPRESS** node, select **Security** > **Logins** node. The language setting changes must be made for the respective user and NT Authority.

K Microsoft SQL Server Management Studio	_ 🗆 ×
File Edit <mark>View De</mark> bug Tools Window Community Help	
🕴 🔔 New Query 🛛 🔓 🕞 🚰 🖼 🎒 🌌 🖕	
Object Explorer V V	
Connect 🕶 📑 📑 👕 🛃 📓	
🖃 🐻 .\SQLEXPRESS (SQL Server 10.50.160 🔺	
🕀 🧰 Databases	
🖃 📄 Security	
🖂 🗀 Logins	
🔒 ##MS_PolicyEventProcess	
🛔 ##MS_PolicyTsqlExecution	
BUILTIN\Administrators	
💑 BUILTIN(Users 🔤	
SXWIN2K8R2VM1\Admini:	
MT SERVICE\MSSQL\$SQLE	
Ready	1.



4. Right-click **NT AUTHORITY\SYSTEM**, and then select **Properties**. The Login Properties dialog box will be displayed as shown in the below figure.

🚪 Login Properties - NT AUTH(DRITY\SYSTEM		
Select a page	<u> S</u> cript 👻 📑 Help		
General			
Part Server Holes	Login name:	NT AUTHORITY\SYSTEM	Search
Securables	Windows authentication		
🚰 Status	C SQL Server authentication		
	Password:		
	Confirm password:		
	Specify old password		
	Old password:		
	Enforce password polic	y.	
	Enforce password expir	ation	
	🗖 User must change pass	word at next login	
	C Mapped to certificate		V
	C Mapped to asymmetric key		v
	Map to Credential		Add
Connection	Mapped Credentials	Credential Provider	
Server: .\SQLEXPRESS			
Connection: TOONS\karen			
View connection properties			
Progress			Remove
Ready	Default database:	master	•
	Default language:	British English	
			OK Cancel

5. In the **Default Language** dropdown, select **British English**.

Similarly, the changes must be made for the respective user (In our example given below TOONS\Karen) who has installed Netsurion Open XDR.

- 6. In the **Logins** node, right-click the user (i.e. TOONS\karen) and then select **Properties**.
- 7. In the **Default language** dropdown, select **British English**, and then click the **OK** button.



🚪 Login Properties - TOONS\K	aren			
Select a page	🔄 Script 👻 🚺 Help			
Ƴ Lieneral Ƴ Server Roles 옷 User Mapping	Login name:	T00NS\Karen		Search
Securables	Windows authentication			
🚰 Status	C SQL Server authentication			
	Password:			-
	Confirm password:			-
	Specify old password	,		
	Old password:			-
	Enforce password polic	γ		
	🗖 Enforce password expir	ation		
	🔲 User must change pass	word at next login		
	C Mapped to certificate		v]
	C Mapped to asymmetric key]
	Map to Credential		•	Add
Connection	Mapped Credentials	Credential	Provider	1
Server: .\SQLEXPRESS			,	
Connection:				
TOONS\Karen				
View connection properties				
Progress				Remove
Ready	Default database:	master	·	1
Weap of the second seco		British English		1
	Derauit language:	Jentoniengilon		
			OK	Cancel

8. Restart the machine so that all changes take effect.

Note

After restarting the machine, run the Netsurion Open XDR configuration.

	EventTracker :: Configuration	×
t	Netsurion	
	User Credentials	User Authentication
-	User Name NTPL\Karen	O Local Account
	Password	• Active Directory
		Database Authentication
	EventTracker Group G-EventTracker-Testing	✓ Enable
	Note:	OK Cancel
	For "Active Directory" authentication enter user name and pa domain user and for "Local Account" authentication enter loc name and password. User must be administrator on this sys	assword of a al system user tem. Refer <u>install quide</u> .



3.4 Validate the Settings

1. To verify the settings, navigate to Install Directory\Prism Microsystems\EventTracker Web\Web.

📕 📝 🔜 🖛 🛛 Evi	entTra	ckerWeb											- (2		
File Home	Share	e View												~		
to Quick Copy access	D Paste		Move Co to • to	py Delete	■Ĵ Rename	New	new ite	m • cess • Prope	ties	Open • Edit	Select all Select none	on				
Clip	oboard			Organize			New		Open		Select					
$\rightarrow \sim \uparrow$	> TI	his PC → Local Disk	(C:) > Prog	ram Files (x8	6) > Pris	m Micro	systems ⇒	EventTrackerW	eb			~ Č	Search EventTrackerWeb	,		
		Name	^		Da	ate modif	fied	Гуре		Size						
📌 Quick access		Home			23	/02/2018	13-10	ASP NET Serve	Pa	51	(B					
E Desktop	1	Ioading			10	/12/2017	723:57	HTML Docume	nt	171	(B					
👆 Downloads	*	County (County)			16	/03/2017	7.09:11	ASP.NET Serve	Pa	1)	(B					
Documents	*	MenultemD	isplay		16	/05/2018	13:31	ASP.NET Maste	r P	31 1	(B					
Pictures	*	(iii) News			30	30/12/2017 05:18		30/12/2017 05:18 ASP.N		ASP.NET Serve	Pa	31	KB			
		OPermission	on		27/04/2018 11:56		04/2018 11:56 ASP.NET Server Pa 1 KB									
This PC		PolicyDashb	ooard		30	/12/2017	05:18 ASP.NET Server Pa 10 KB									
Network		Precompiled	dApp		30	/12/2017	05:05	5:05 XML Configuratio 1 KB								
-		Gimple			15	/03/2018	12:54	ASP.NET Maste	r P	31	KB					
		🌐 SiteMap			30	/01/2018	3 14:16	ASP.NET Serve	Pa	31	KB					
		🌐 TaskWindov	v		30	/12/2017	05:18	ASP.NET Serve	Pa	1)	KB					
		🌐 TearAway			18	/01/2018	3 13:20	ASP.NET Serve	Pa	51	KB					
		TearScreen			16	/03/2017	7 09:11 I	HTML Docume	nt	11	KB					
		🜐 UserProfile			30	/12/2017	05:18	ASP.NET Serve	Pa	21	KB					
		🜐 WCMenu			30	/12/2017	/ 05:18	ASP.NET Serve	Pa	91	KB					
		🖓 web			12	/06/2018	12:45	KML Configura	tio	12 1	<b< th=""><th></th><th></th><th></th></b<>					
		N Web			27	704/2018	3 10:22	ASP.NET Site N	ap	81	KB					
52 items 1 item s	elected	* Web 11.7 KB			27	704/2018	10:22	ASP.NET Site N	lap	81	KB					

- 2. Open the file in Notepad and search for the keyword "en-".
- 3. Check whether "**en-GB**", is applied successfully. If not, please check the above settings again. A figure is shown below:

	web - Notepad	-		×
File	e Edit Format View Help			
	<httpruntime executiontimeout="900" maxrequestlength="20000000" requestvalidationmode="2.0"></httpruntime> <globalization culture="<mark>en-G3</mark>" uiculture="en-GB"></globalization>			^
	<pre><machinekey 3des<br="" <sessionstate="" decryptionkey="AutoGenerate,IsolateApps" sessionidmanagertype="Prism.Web.SessionManager.PmsSessionIDManager,EventTr <identity impersonate=" timeout="720" true"="" username="registry:HKLM\Software\Prism Microsystems\EventTracker\ASPNET_S <!</pre></td><td>n=" validati="" validationkey="AutoGenerate,IsolateApps">acker.We TREG,us</machinekey></pre>	5" decr 20.Sess SerName	ypt sion s" p	
	Set compilation debug="true" to insert debugging			
	symbols into the compiled page. Because this			
	affects performance, set this value to true only			
	during development.			
	>			
	<webparts enableexport="true"></webparts>			
	<pre><personalization></personalization></pre>			
	<providers></providers>			
	<remove name="AspNetSqlPersonalizationProvider"></remove>			
	<add name="AspNetSqlPersonalizationProvider" targetframework="4.5" true"="" type="System.Web.UI.WebControls.WebParts.SqlPersona</td><td>lizatior</td><td>Provio</td><td>ler'</td></tr><tr><td></td><td></providers></td><td></td><td></td><td></td></tr><tr><td></td><td></pre></td><td></td><td></td><td></td></tr><tr><td></td><td></webParts></td><td></td><td></td><td></td></tr><tr><td></td><td><compilation debug="></add>			
	<assemblies></assemblies>			
	<add <="" <add="" assembly="CrystalDecisions.Shared, Version=13.0.2000.0, Culture=neutral, PublicKeyToken=692fb</pre></td><td>ublicKey
a5521e1</td><td>/Token=
1304" crystaldecisions.reportappserver.clientdoc,="" culture="neutral," p="" td="" version="13.0.2000.0,"><td>⊧69: /></td></add>	⊧69: />		
				~
<				2.1



About Netsurion

Netsurion[®] delivers an adaptive managed security solution that integrates our Open XDR platform with your existing security investments and technology stack, easily scaling to fit your business needs. Netsurion's 24x7 SOC operates as your trusted cybersecurity partner, working closely with your IT team to strengthen your cybersecurity posture. Our solution delivers managed threat protection so you can confidently focus on your core business.

Headquartered in Ft. Lauderdale, FL with a global team of security analysts and engineers, Netsurion is a leader in Managed Detection & Response (MXDR). Learn more at <u>www.netsurion.com</u>.

Contact Us

Corporate Headquarters

Netsurion Trade Centre South 100 W. Cypress Creek Rd Suite 530 Fort Lauderdale, FL 33309

Contact Numbers

Use the form to submit your technical support tickets. Or reach us directly at 1 (877) 333-1433

SOC@Netsurion.com
SOC-MSP@Netsurion.com
Essentials@Netsurion.com
Software-Support@Netsurion.com

https://www.netsurion.com/support